

Securing today's load with tomorrow's technology



**International
Dunnage**

International Dunnage Bags



Monster Air Gun



Mini Jetflow Gun



International Dunnage bags are the convenient way to protect your goods from being damaged during shipping. They have an outstanding load stabilising capacity and resistance to load shifting. They can withstand tons of pressure. The durability of international Dunnage bags lies in their well designed structure: they are composed of an air tight polyethylene inner layer with an inflating and deflating valve and a strong poly woven outer layer.

Standard Bags

Standard bags take the shape of pillow when they are inflated. They are used between the voids that are up to 12" (30 cm) wide. International dunnage standard bags come in 4 different levels: L1, L2, L3 & 4, L5 with wide range of dimensions and are all AAR certified. L1 bags can be produced with our patented Safe Lock or Jet Flow valves, for higher levels we use only Safe Lock valves.

Bison Bags

International Dunnage Bison Bags are also pillow shaped. They are designed for light duty mainly used in truck shipments and are more economical compared to L1 bags. They are not AAR certified.

Square Bags

They are 3 dimensional and fill up much larger voids up to 36" (90 cm) wide. Optionally they can be produced with Safe Lock or Jetflow valves. Our standard size is 35"x35" (90x90 cm.) with an optional length, however custom sizes can also be produced depending on the order quantity. They shall not be used for heavy duty purposes.

Air Tools

Monster Air Gun

Monster Air Gun is the fastest air tool in the industry and it is designed to be used with the Monster Filling Valves to have the optimum efficiency.

Mini Jetflow Gun

Mini Jetflow Guns have many advantages compared to other fast fill guns. The weak points of all fast fill guns have been evaluated and improved in this advanced design. Mini Jetflow Guns can be used in narrow voids due to its decreased dimensions.

International Dunnage Bag Range

		BISON	LEVEL I	LEVEL II	LEVEL III & IV	LEVEL V
		2 PSI*/0,138 bar*	3 PSI*/0,2 bar*	4 PSI*/0,276 bar	8 PSI*/0,551 bar	10 PSI*/0,689 bar
inches	cm					
23,5" x 23,5"	60 cm x 60 cm	✓	✓			
23,5" x 30"	60 cm x 76 cm	✓	✓			
23,5" x 36"	60 cm x 91 cm	✓	✓			
23,5" x 43"	60 cm x 110 cm	✓	✓			
23,5" x 48"	60 cm x 122 cm	✓	✓			
23,5" x 60"	60 cm x 152 cm	✓	✓			
23,5" x 72"	60 cm x 183 cm	✓	✓			
23,5" x 79"	60 cm x 200 cm	✓	✓			
23,5" x 84"	60 cm x 213 cm	✓	✓			
23,5" x 96"	60 cm x 244 cm	✓	✓			
23,5" x 102"	60 cm x 259 cm	✓	✓			
23,5" x 108"	60 cm x 274 cm	✓	✓			
23,5" x 115"	60 cm x 292 cm	✓	✓			
23,5" x 120"	60 cm x 305 cm	✓	✓			
30" x 30"	76 cm x 76 cm	✓	✓	✓	✓	✓
30" x 36"	76 cm x 91 cm	✓	✓	✓	✓	✓
30" x 48"	76 cm x 122 cm	✓	✓	✓	✓	✓
30" x 60"	76 cm x 152 cm	✓	✓	✓	✓	✓
30" x 72"	76 cm x 183 cm	✓	✓	✓	✓	✓
30" x 84"	76 cm x 213 cm	✓	✓	✓	✓	✓
30" x 96"	76 cm x 244 cm	✓	✓	✓	✓	✓
30" x 102"	76 cm x 259 cm	✓	✓	✓	✓	✓
30" x 108"	76 cm x 274 cm	✓	✓	✓	✓	✓
30" x 120"	76 cm x 305 cm	✓	✓	✓	✓	✓
36" x 36"	91 cm x 91 cm	✓	✓	✓	✓	✓
36" x 48"	91 cm x 122 cm	✓	✓	✓	✓	✓
36" x 60"	91 cm x 152 cm	✓	✓	✓	✓	✓
36" x 66"	91 cm x 168 cm	✓	✓	✓	✓	✓
36" x 72"	91 cm x 183 cm	✓	✓	✓	✓	✓
36" x 84"	91 cm x 213 cm	✓	✓	✓	✓	✓
36" x 86"	91 cm x 220 cm	✓	✓	✓	✓	✓
36" x 96"	91 cm x 244 cm	✓	✓	✓	✓	✓
36" x 102"	91 cm x 259 cm	✓	✓	✓	✓	✓
36" x 108"	91 cm x 274 cm	✓	✓	✓	✓	✓
36" x 120"	91 cm x 305 cm	✓	✓	✓	✓	✓
36" x 132"	91 cm x 335 cm	✓	✓	✓	✓	✓
46,5" x 48"	118 cm x 122 cm	✓	✓	✓	✓	✓
46,5" x 60"	118 cm x 152 cm	✓	✓	✓	✓	✓
46,5" x 72"	118 cm x 183 cm	✓	✓	✓	✓	✓
46,5" x 84"	118 cm x 213 cm	✓	✓	✓	✓	✓
46,5" x 86"	118 cm x 220 cm	✓	✓	✓	✓	✓
46,5" x 90"	118 cm x 228 cm	✓	✓	✓	✓	✓
46,5" x 91"	118 cm x 230 cm	✓	✓	✓	✓	✓
46,5" x 96"	118 cm x 244 cm	✓	✓	✓	✓	✓
46,5" x 102"	118 cm x 259 cm	✓	✓	✓	✓	✓
46,5" x 108"	118 cm x 274 cm	✓	✓	✓	✓	✓
46,5" x 120"	118 cm x 305 cm	✓	✓	✓	✓	✓
46,5" x 132"	118 cm x 335 cm	✓	✓	✓	✓	✓
57,5" x 60"	146 cm x 152 cm	✓	✓	✓	✓	✓
57,5" x 72"	146 cm x 183 cm	✓	✓	✓	✓	✓
57,5" x 84"	146 cm x 213 cm	✓	✓	✓	✓	✓
57,5" x 96"	146 cm x 244 cm	✓	✓	✓	✓	✓
57,5" x 102"	146 cm x 259 cm	✓	✓	✓	✓	✓
57,5" x 108"	146 cm x 274 cm	✓	✓	✓	✓	✓
57,5" x 120"	146 cm x 305 cm	✓	✓	✓	✓	✓
57,5" x 132"	146 cm x 335 cm	✓	✓	✓	✓	✓

* Above stated pressure values are optimum usage pressures.

Why International Dunnage Bags



Avoids Accidents

Load shifting is one of the main causes of accidents during transportation. You can minimize the risks by bracing the loads in place with dunnage bags. International Dunnage bags protect your goods from the first point of packing to their destination thus ensuring customer satisfaction.

Cost Saving

Dunnage bags are inexpensive compared to other load securing techniques. In addition, International Dunnage bags are reusable (for non-rail applications in the USA).

Easy To Use

Dunnage bags can easily be aired up in few seconds by using compressed air and an inflator tool. No special skills are required, simply follow instructions printed on the bags. Minimum physical effort is required. They can easily be deflated by opening the valve, without needing to puncture.

Safe

International Dunnage bags are produced under ISO 9001 standards and certified by the Association of American Railroads (AAR) and the Railway Association of Canada (RAC). Strict quality controls are carried out at every stage of production.

Lightweight & Water Proof

International Dunnage bags are easy to handle, light in weight, takes up less space and are resistant to moisture and water ingress.

Take Shape To Odd Configurations

International Dunnage bags are flexible, allowing you the advantage of filling every shape and odd space without damaging your goods.

Can Fill a Larger Void

Due to their flexibility International Dunnage bags can fill a space up to 18", much larger compared to the paper dunnage bags which can only fill a void up to 14".

Environmentally Friendly

International Dunnage bags are produced from 100% recyclable virgin materials.

Liability

International Dunnage bags are insured against damage or injury of your products and third parties.

International Dunnage is an American and Turkish joint venture company which was established in 2004 to manufacture and supply dunnage bags to the world market. All International Dunnage bags are manufactured at our state of the art production facilities located in Istanbul.

Our integrated production consist of cutting, printing, heat sealing and sewing by utilising the latest technology and equipment. Quality controls are carried out at each stage of the production. In early stages, tapes and fabrics are tested for their tensile strengths. 100% of the valves pass through an air leakage test before being used. Flat wall pressure test is applied to finished bags and burst test is also applied to the bags taken off the production randomly. Each bag is tagged with a barcode label to enable the traceability during and after production. All our bags are produced under strict ISO 9001 standards.

The US headquarters are based in Savannah, Georgia and has two distribution locations; one in the East coast and the other one in the West coast. We carry large amount of inventory in both locations for immediate delivery throughout the country. European headquarters are based in Istanbul, Turkey and has a wide distribution sales network throughout Europe and Russia.

Over the years, International Dunnage has grown to be one of the major players and a preferred brand name in the global industry.

Today, dunnage bags still being our core business, we supply variety of load securement products for the needs of our customers and continue to develop further solutions.



International Dunnage

Europe

International Dunnage A.S.
IAYOSB, Aydınlı Mahallesi
Gazi Bulvarı No. 6
34953 Tuzla, İstanbul, Türkiye
Telephone +90 (216) 593 46 00
Fax +90 (216) 451 55 42
info@internationaldunnage.com

www.internationaldunnage.com

USA

International Dunnage, LLC
3216 Center Street
Thunderbolt, GA 31404
Telephone +1(912) 355 8884
Fax +1(912) 355 7234
dpc1010@comcast.net